



Heritage
LAMINATES

Telephone no.
+2 010 678 10000
+2 010 66333 663
+2 010 66222 622
Facebook : woodshopeg

Design & Concept by Karys Graphito

ABOKHALED
WOOD SHOP



The mode of this ravishing surface
changes the way you feel



RUSTIC
CHARM
OF WOOD
SHADES



ABOKHALED
WOOD SHOP



CHARM OF
TIMELESS
EARTHINESS



The charm of this surface transforms
your every mood.



7230 SF



7953 SF



7221 OT



8160 OT



7222 SF



7951 SF



8168 OT




8127 LN



8180 SMT



7952 SMT



8171 HDU 38



8120 HDU 38





A surface so alluring, it redefines your senses.

ELEGANCE IN
RUSTIC
HARMONY



ABOKHALED
WOOD SHOP



8007 SF



8006 SF



8166 SF



8170 SF



8005 SF



8109 SF



8145 SF




8169 SF



8163 SF



8164 SF




8151 SF



8152 SF





ESSENCE OF
RUSTIC
REFINEMENT



8139 SF



8144 SF



8038 SF



8162 SF



8116 SF



8108 SF



8039 SF




8043 SF



8111 SF



8112 SF



8008 SF



The elegance of this texture shifts
your perception.

Rustic Soul,
Modern
Elegance






Feel the difference with every touch of grace.

THE ART OF
SUBTLE
SOPHISTICATION




ABOKHALED
WOOD SHOP




8182 HDU 38




8181 HDU 38



8561 TLF



8562 TLF



8123 SF




8124 SF




8563 TLF

Fusion
of Raw
& Refined



8122 SF




8126 SF






The beauty of this laminate sets a new emotion in motion.


TECHNICAL SPECIFICATION



5701 HG



5701 MT



8501 SF




8502 SF



8503 SF




8513 SF



8515 SF



8515 HG



8508 SF



8506 SF



Properties	Unit	Specified value as per IS	
		2046:1995 Type S,HGS	Observed Typical Value
Length	mm	2440 mm + 10mm/-0mm	2442
Width	mm	1220 mm + 10mm/-0mm	1222
Resistance to surface wear	Revolution	350 (Min.)	400
Resistance to dry Heat	Grade	Not worse than 4	5
Resistance to immersion in boiling water			
a) Mass increase	%	12.0 (Max.)	6.85
b) Thickness increase	%	14.5 (Max.)	7.73
c) Appearance	Grade	Not worse than 4	5
Dimensional stability at deviated temperature			
a) Longitudinal	%	0.67 (Max.)	0.26
b) Transverse	%	1.15 (Max.)	0.53
Dimensional stability at 20 C			
a) Longitudinal	%	0.42 (Max.)	0.18
b) Transverse	%	0.70 (Max.)	0.28
Resistance to impact by small diameter ball	Newton	20 (Min)	25
Resistance to cracking	Grade	Not worse than 4	5
Resistance to scratching	Newton	2.0 (Min.)	2.5
Resistance to staining			
a) Group 1 & 2	Grade	Not worse than 5	5
b) Group 3 & 4		Not worse than 4	5
Resistance to colour change			
a) In Xenon arc light	Grade	Not worse than 6	6
b) In enclosed Carbon arc light		Not worse than 5	5
Resistance to steam	Grade	Not worse than 4	5
Appearance	-----	Should be free from foreign particle	complies

Grades : General and fire retardant [FR]
 Types : Standard, post forming, compact, cabinet liners, backer
 Size : 2440 mm x 1220 mm [8'x4']

Care & Maintenance : Cleaning should be carried out with a soft moist cloth and warm soap solution. Do not use detergents containing abrasive particle or excess soda.


- Highlight:
- Design from genuine imported base paper.
 - Manufactured using best quality kraft paper.
 - Use of best chemical raw materials for better flexibility & durability.

Disclaimer: Customers are advised to reconfirm selected laminate when placing orders as our liability does not include claims arising from sample chip pasting error. Samples presented are indicative of color, pattern and surface finish but not of actual thicknesses. All metallic patterns series recommended for vertical application only.
 Limited Warranty: Company warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviation, related manufacturing specifications. This warranty shall be limited only to the original buyer for a period of care. It is recommended that the products must be inspected prior to installation and our liability will be limited to the extent of the cost of the products only. Our products are used for various applications without the possibility of control over the manufacturing of the finished products. The Company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any person or entity.

Do not use nail and hammer while cutting such Corner, Grew, Angle, and Designs.
 Use only drill while cutting such Corner, Grew, Angle and Designs.



NO CLAIM WILL BE ENTERTAINED FOR AIR BUBBLES



NO CLAIM WILL BE ENTERTAINED FOR CRACKING ARISING OUR OF GROOVE CURRYING OR L-SHAPE